

Efficient Ringlock System Scaffolding 2 Years Vertical Adjustment ≤±3° ≤30kg/m2

Basic Information

Place of Origin: ChinaBrand Name: BythaiModel Number: BT03



Product Specification

Weight: ≤30kg/m2
 Vertical Load Capacity: ≥45KN
 Horizontal Adjustment: ≤±3°
 Max Height: ≤30m

• Safety Factor: ≥4

Material: Q235 SteelHorizontal Load ≥15KN

Capacity:

Components: Vertical, Horizontal, Diagonal, Brace, Base

Plate, Ladder, Etc.

Highlight: Vertical Ringlock System Scaffolding,

Ringlock System Scaffolding 30kg/m2

Product Description:

Ringlock Scaffolding System is renowned for its reliability and durability. It is a multi-purpose scaffolding system, designed for fast and easy construction in a wide range of applications. The system provides maximum stability and safety, with its double-locking joints and horizontal adjustment of $\leq \pm 3^{\circ}$. Its lightweight design allows for quick and easy assembly, and the 48.3mm size ensures that it is suitable for all types of scaffolding applications. The Ringlock Scaffolding System is backed by a 2-year warranty and has a maximum weight of $\leq 30 \text{kg/m2}$.

Features:

Ringlock Formwork: Ringlock System Scaffolding

Warranty: 2 Years
Material: Q235 Steel
Size: 48.3mm
Weight: ≤30kg/m2
Vertical Adjustment: ≤±3°

Applications:

The **Ringlock System Scaffolding** by Bythai is a **heavy duty steel scaffolding** which is designed to meet the highest safety standards, EN12810 and EN12811. It is a perfect solution for construction sites, warehouses, bridges, and other industrial or commercial projects. The **Bythai BT03** features a **horizontal load capacity** of ≥15KN and a **safety factor** of ≥4. With its components of vertical, horizontal, diagonal, brace, base plate, ladder, etc., it can provide a stable and secure working environment for workers. The **ringlock formwork** is designed to be easy to assemble and disassemble, with no need for any special tools. Moreover, Bythai provides a **2-year warranty** to ensure the quality of the product. The **ringlock standard** ensures that the scaffolding is a safe and reliable choice for any job. The **ringlock system** is a great option for any construction project, providing a secure and durable solution for workers.

Customization:

Ringlock System Scaffolding by Bythai

Brand Name: Bythai Model Number: BT03 Place of Origin: China

Standard: EN12810 & EN12811

Warranty: 2 Years

Surface Treatment: Hot-dip Galvanized

Size: 48.3mm Material: Q235 Steel

Our Ringlock System Scaffolding is the ultimate solution for your Ringlock Scaffolding System needs. Perfect for any project, our Ringlock Scaffolding is EN12810 & EN12811 certified and comes with a 2-year warranty. Our Ringlock System Scaffolding is made of Q235 Steel and is hot-dip galvanized for superior surface treatment. The size of our Ringlock System Scaffolding is 48.3mm.

Support and Services:

Ringlock System Scaffolding Technical Support and Services

We provide technical support and services for Ringlock System Scaffolding products.

We provide guidance on the installation and use of the product.

We provide advice on the maintenance and safety of the product.

We provide troubleshooting assistance for any technical issues.

We provide timely updates to ensure the product is running smoothly.

We provide ongoing training and support to ensure customers are well-informed.

Packing and Shipping:

Packaging and Shipping for Ringlock System Scaffolding:

Ringlock System Scaffolding components will be packaged in wooden crates with foam protection.

The wooden crates will be secured with steel bands and shrink wrap.

The crates will be clearly labeled with product information.

Shipping will be done through a reputable carrier with tracking information.



Bythai Scaffolding Co.,Ltd

17300780862

info@bythaiscaffolding.com



bythaiscaffold.com

No. 605, Industrail Exchange Center, Huanghua Town Changsha Hunan China