

## 3.2mm Thickness Hot Dipped Galvanized Pipes in EN39 Standard for Building Materials

Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)


### Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



### Product Specification

- Material: Galvanised Steel
- Weight: 6.4kg/m
- Application: Scaffolding
- Standard: EN39
- Diameter: 48.3mm
- Tensile Strength: 420N/mm2
- Name: Galvanised Scaffold Tube
- Yield Strength: 245N/mm2
- Highlight: **EN39 Hot Dipped Galvanized Pipes,  
3.2mm Thickness Galvanized Pipes,  
Building Materials Galvanised Scaffold Tube**



## Product Description

### Product Description:

Galvanised Scaffold Tube - The Ultimate Solution for Scaffolding Needs

Galvanised scaffold tube, also known as GI pipe or hot dip galvanized scaffolding steel tube, is a versatile and durable product that is widely used in the construction industry. It is designed to provide a strong and stable support system for workers and materials, making it an essential component for any scaffolding structure.

Product Overview

Our galvanised scaffold tube is manufactured to meet the high standards set by the EN39 standard. This means that it has been tested and approved for its quality and performance, making it a reliable choice for all your scaffolding needs.

The tube has a diameter of 48.3mm, which is the standard size used in most scaffolding systems. This ensures compatibility with various fittings and accessories, making it easy to assemble and customize according to your specific requirements.

Surface Treatment

The galvanized surface of our scaffold tube provides excellent protection against corrosion and rust, ensuring a longer lifespan for your scaffolding structure. The hot dip galvanizing process creates a thick layer of zinc coating on the surface of the tube, making it highly resistant to environmental factors such as moisture and chemicals.

High Yield Strength

Our galvanised scaffold tube has a high yield strength of 245N/mm<sup>2</sup>, which makes it capable of withstanding heavy loads and providing a stable platform for workers. This high strength also makes it suitable for use in various industrial and commercial applications, such as building construction, maintenance, and repair work.

Benefits of Using Galvanised Scaffold Tube

Strong and durable - able to withstand heavy loads and harsh environmental conditions.

Easy to assemble and customize according to specific requirements.

Highly versatile - suitable for various industrial and commercial applications.

Cost-effective - has a longer lifespan compared to other types of scaffold tubes.

Compliant with EN39 standard - ensures quality and performance.

Conclusion

In summary, our galvanised scaffold tube is a reliable and efficient solution for all your scaffolding needs. Its EN39 standard, 48.3mm diameter, galvanized surface, and high yield strength make it a top choice for construction companies, contractors, and DIY enthusiasts. So why settle for anything less when you can have the best? Choose our galvanised scaffold tube and experience the difference in quality and performance for yourself.

### Features:

Product Name: Galvanised Scaffold Tube

Name: Galvanised Scaffold Tube

Standard: EN39

Yield Strength: 245N/mm<sup>2</sup>

Weight: 6.4kg/m

Surface Treatment: Galvanised

Key Features:

Scaffolding tubes galvanized for increased durability and corrosion resistance

Suitable for various scaffolding applications

Conforms to EN39 standard for quality assurance

High yield strength of 245N/mm<sup>2</sup> for added safety and stability

Lightweight with a weight of 6.4kg/m for easy handling and transportation

Galvanised surface treatment for long-lasting protection against rust and damage

Also known as scaffold tube or GI pipe

### Technical Parameters:

Product Name	Galvanised Scaffold Tube
Material	Galvanised Steel
Standard	BS1139, EN39
Diameter	48.3mm
Thickness	3.2mm
Surface Treatment	Galvanised
Application	Scaffolding
Tensile Strength	420N/mm <sup>2</sup>

<b>Yield Strength</b>	245N/mm2
<b>Weight</b>	6.4kg/m
<b>Related Keywords</b>	BS1139 Scaffolding Tube, Q195 Scaffolding Tubes and Pipes, Hot Dip Galvanized Scaffolding Steel Tube

### Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Application

The Galvanised Scaffold Tube is mainly used in the construction industry for various scaffolding purposes. It is an essential component in building temporary structures to support workers and materials during construction, maintenance, and repair projects. This tube is designed to withstand heavy loads and provide a safe working platform for workers at different heights. It is a popular choice for construction projects due to its durability, strength, and cost-effectiveness.

Product Description

The Galvanised Scaffold Tube from Bythai Scaffolding is a high-quality steel tube that meets the BS1139 standard, which is the British standard for scaffolding tubes. It is made from galvanised steel, which has been hot-dip coated with a layer of zinc to protect it from corrosion. This process is known as galvanisation and gives the tube excellent resistance to rust and weathering, making it suitable for outdoor use. The tube is also stamped with the Bythai Scaffolding logo, ensuring its authenticity and quality.

Features and Benefits

Surface Treatment	Diameter	Yield Strength	Material
Galvanised	48.3mm	245N/mm2	Galvanised Steel

The Galvanised Scaffold Tube has a galvanised surface treatment, making it highly resistant to corrosion and rust. Its diameter of 48.3mm makes it compatible with most scaffolding systems and accessories. The tube has a high yield strength of 245N/mm2, ensuring it can withstand heavy loads and provide a safe working platform. Made from galvanised steel, this tube is strong, durable, and long-lasting, making it a cost-effective choice for scaffolding projects.

Application Scenes

Scaffolding for Construction

The Galvanised Scaffold Tube is commonly used for construction projects, both large and small. It is used to build temporary structures such as scaffolds, which provide a safe working platform for construction workers at different heights. The tube is also used as a support for materials and equipment, making it an essential component in construction projects.

Scaffolding Steel Pipe

The Galvanised Scaffold Tube can also be used as a steel pipe for scaffolding systems. It is compatible with different types of scaffolding clamps, making it easy to assemble and dismantle. The tube's galvanised surface treatment ensures it can withstand harsh weather conditions, making it suitable for both indoor and outdoor use.

Scaffolding Tube with Clamp

The Galvanised Scaffold Tube is often used together with scaffolding clamps to form a stable and secure scaffolding structure. These clamps are used to connect the tubes at different angles, making it possible to create various configurations and designs to suit different construction needs.

Scaffolding Round Tube

The Galvanised Scaffold Tube is a round tube that is widely used in scaffolding systems. Its round shape provides better stability and weight distribution, making it safer for workers to use. The tube's galvanised surface treatment also makes it easy to clean and maintain, ensuring its longevity and safety for workers.

Ordering and Delivery

To order the Galvanised Scaffold Tube from Bythai Scaffolding, simply contact us through our website or give us a call. Our friendly and knowledgeable staff will assist you in selecting the right tube for your scaffolding needs. We offer competitive prices and ensure timely delivery of the tubes, with a supply ability of 1000 tons per month.

Choose the Galvanised Scaffold Tube from Bythai Scaffolding for a reliable and durable scaffolding solution. Trust our brand for quality and safety in your construction projects. Contact us today!

Contact Us Visit Website

### Customization:

Customization Service for Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Tensile Strength: 420N/mm2

Weight: 6.4kg/m

Yield Strength: 245N/mm2

Thickness: 3.2mm

Application: Scaffolding

Our Galvanised Scaffold Tube is a key component in tube and coupler scaffolding systems. It is made from high quality galvanized steel and is designed to provide sturdy support for construction workers and materials.

Our scaffolding tubes are hot-dip galvanized to ensure maximum durability and resistance to corrosion. They are also available in various lengths and diameters to meet the specific requirements of your project.

As a leading scaffold tube manufacturer, we offer customization services to meet the unique needs of our customers. Our experienced team can work with you to design and produce scaffolding tubes galvanized to your desired specifications.

In addition to galvanized scaffold tubes, we also offer other scaffolding parts such as couplers and pipes. Our comprehensive range of products allows us to provide a complete scaffolding solution for your construction projects.

With our strong supply chain and production capabilities, we can guarantee timely delivery of your customized galvanized scaffold tubes. Our competitive pricing and flexible payment terms make us a cost-effective choice for your scaffolding needs.

Trust Bythai Scaffolding for all your scaffolding requirements. Contact us now to learn more about our customization services and to request a quote for your project.



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China