

Galvanised Scaffold Tube scaffold tube lengths scaffold tube

Basic Information

- Place of Origin:
- Brand Name:
- Certification: SGS
- Model Number:
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

Standard:	EN39
Tensile Strength:	420N/mm2
Diameter:	48.3mm
Application:	Scaffolding
Yield Strength:	245N/mm2
Material:	Galvanised Steel
Name:	Galvanised Scaffold Tube
Surface Treatment:	Galvanised

China

BT01

Bythai Scaffolding



Product Description:

Galvanised Scaffold Tube

Overview

Galvanised Scaffold Tube, also known as scaffolding steel tube, is a high-quality and durable steel tube used for scaffolding systems. It is designed to provide a strong and stable support for workers and materials during construction or maintenance work. Our galvanised scaffold tube is manufactured to meet the EN39 standard and is EN39 certified, ensuring its reliability and safety. Product Features

Made of high-quality steel for superior strength and durability

Galvanised surface treatment for corrosion resistance

Standard-compliant and EN39 certified

Lightweight and easy to handle

Versatile and can be used for various scaffolding applications

Cost-effective compared to other scaffolding materials

Easy to install and dismantle



Standard	Application	Thickness	Weight	Surface Treatment
EN39	Scaffolding	3.2mm	6.4kg/m	Galvanised

Benefits of Galvanised Scaffold Tube

Our galvanised scaffold tube offers numerous benefits that make it a popular choice for scaffolding systems:

High-quality and durable, ensuring safety and stability on the worksite

Corrosion-resistant, making it suitable for outdoor use

Easy to handle and install, saving time and labor costs

Versatile and can be used for different scaffolding applications

Cost-effective compared to other scaffolding materials

Compliant with the EN39 standard, ensuring reliability and safety

Applications

Galvanised Scaffold Tube is commonly used in the following applications:

Construction and maintenance work

Building renovations and repairs

Temporary structures for events and concerts

Bridge and dam construction

for more products please visit us on bythaiscaffold.com

Industrial maintenance and repair work Get the Best Scaffolding Tube Price

If you are looking for high-quality and durable scaffolding steel tube at a competitive price, look no further. Our galvanised scaffold tube offers the best value for your money, providing reliable and long-lasting support for your construction projects. Contact us now to get a quote and place your order.





Technical Parameters:

Attribute		Value	
Material		Galvanised Steel	
Surface Treat	ment	Galvanised	
Thickness		3.2mm	
Weight		6.4kg/m	
Standard		EN39	
Application		Scaffolding	
Yield Strength	1	245N/mm2	
Name		Galvanised Scaffold Tube	
Tensile Strength		420N/mm2	
Diameter		48.3mm	
Keywords	Values		
scaffolding steel tube	48.3mm diameter, 3.2mm thickness, 6.4kg/m weight, EN39 standard, galvanised surface treatment, 245N/mm2 yield strength, 420N/mm2 tensile strength		
steel tubes	48.3mm diameter, 3.2mm thickness, 6.4kg/m weight, EN39 standard, galvanised surface treatment, 245N/mm2 yield strength, 420N/mm2 tensile strength		
tube scaffolding	48.3mm diameter, 3.2mm thickness, 6.4kg/m weight, EN39 standard, galvanised surface treatment, 245N/mm2 yield strength, 420N/mm2 tensile strength		

Applications:

Galvanised Scaffold Tube - Perfect for Building and Construction Projects Brand Name: Bythai Scaffolding Model Number: BT01 Place of Origin: China Certification: SGS Scaffolding is an essential element in any building or construction project, providing a sturdy and safe platform for workers to carry out their tasks. And when it comes to scaffolding, the Galvanised Scaffold Tube by Bythai Scaffolding is a top choice for its quality, durability, and affordability.

Our galvanised scaffold tubes are made of high-quality galvanised steel, ensuring strength and stability for your scaffolding structure. The galvanisation process also adds a protective layer against rust and corrosion, making our scaffold tubes ideal for both indoor and outdoor use.

With a thickness of 3.2mm, our scaffold tubes have a tensile strength of 420N/mm2, meeting the standard requirements of EN39. This makes them suitable for use in various building and construction projects, including commercial, residential, and industrial sites. One of the key selling points of our galvanised scaffold tubes is the affordable price range of \$5-\$18. This makes them a cost-effective choice for contractors, builders, and construction companies, helping them save on their project costs without compromising on quality. The packaging details for our scaffold tubes are also worth mentioning. They are bundled together for easy transportation and storage, making them convenient and efficient for construction sites. Our delivery time is also quick, with an average of 7-15 days, ensuring timely delivery for your project needs.

At Bythai Scaffolding, we understand the importance of flexibility in payment methods. That's why we offer payment terms of TT or LC, providing our customers with the option that suits them best.

Moreover, with a supply ability of 1000 tons per month, we can cater to the high demand for scaffolding tubes in the market. This ensures that our customers can rely on us for their scaffolding needs, no matter the scale of their project.

Our scaffold tubes are available in various sizes, ranging from 1m to 6m, making them suitable for a wide range of scaffolding structures. The scaffold tube weight is also optimal for ease of use, while the diameter allows for easy assembly and stability.

In conclusion, whether you are constructing a high-rise building or carrying out a small renovation project, the Galvanised Scaffold Tube by Bythai Scaffolding is the perfect choice for all your scaffolding needs. Trust in our brand for quality, reliability, and affordability.

Customization:

Customized Services for Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding Model Number: BT01 Place of Origin: China Certification: SGS Price: \$5-\$18 Packaging Details: In bundles Delivery Time: 7-15 days Payment Terms: TT/LC Supply Ability: 1000tons per month Tensile Strength: 420N/mm2 Thickness: 3.2mm Standard: EN39 Name: Galvanised Scaffold Tube Yield Strength: 245N/mm2 Why Choose Bythai Scaffolding for Your Galvanised Scaffold Tube?

High quality scaffolding tubes galvanized to ensure durability and longevity Flexible customizability to meet your specific requirements Expertise in tube scaffolding and tube and coupler scaffolding systems Compliance with international standards, such as EN39 Competitive pricing starting from \$5 per tube Efficient packaging in bundles for easy transportation and storage Fast delivery within 7-15 days Flexible payment terms of TT/LC Large supply ability of 1000tons per month High tensile strength of 420N/mm2 for added safety and stability Optimum thickness of 3.2mm for maximum load bearing capacity

SGS certification for quality assurance

Proudly made in China, ensuring competitive pricing and quality control

Packing and Shipping:

Galvanised Scaffold Tube Packaging and Shipping

Our Galvanised Scaffold Tubes are carefully packaged to ensure safe and secure delivery to our customers. Each tube is wrapped in protective material to prevent any damage during transportation.

We offer both individual and bulk packaging options to suit your needs. Individual tubes are packaged in sturdy cardboard boxes, while bulk orders are securely bundled and wrapped on pallets.

For international shipping, we use trusted and reliable freight carriers to ensure timely delivery and safe handling of our products. Our packaging is designed to withstand the rigors of long-distance transportation and protect your tubes from any external elements. Upon arrival, our customers can expect to receive their Galvanised Scaffold Tubes in excellent condition, ready for immediate use. We take great care in our packaging and shipping process to ensure customer satisfaction.

