

## Tensile Galvanised Scaffold Tube En39 Certified For Sturdy Scaffolding Construction

### Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT01
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



#### Product Specification

- Standard: EN39
- Tensile Strength: 420N/mm<sup>2</sup>
- Application: Scaffolding
- Yield Strength: 245N/mm<sup>2</sup>
- Surface Treatment: Galvanised
- Weight: 6.4kg/m
- Diameter: 48.3mm
- Name: Galvanised Scaffold Tube
- Highlight: **Sturdy Construction Galvanised Scaffold Tube, Tensile Galvanised Scaffold Tube, En39 Galvanised Scaffold Tube**



## Product Description

### Product Description:

The Galvanised Scaffold Tube is a high-strength, durable metal tubing designed specifically for use in scaffolding applications. This robust product is manufactured from galvanised steel, providing a sturdy and reliable solution for construction environments where safety and stability are of utmost importance. The galvanisation process ensures that the steel tube is coated with a protective layer of zinc, offering enhanced resistance to corrosion and the elements, which makes it an ideal choice for outdoor or industrial settings.

### Technical Parameters:

Attribute	Details
Name	Galvanised Scaffold Tube
Yield Strength	245N/mm <sup>2</sup>
Tensile Strength	420N/mm <sup>2</sup>
Weight	6.4kg/m
Material	Galvanised Steel
Thickness	3.2mm
Application	Scaffolding
Surface Treatment	Galvanised
Diameter	48.3mm
Standard	EN39

### Customization:

**Brand Name:** Bythai Scaffolding

**Model Number:** BT01

**Place of Origin:** China

**Certification:** SGS

**Minimum Order Quantity:** 1000

**Price:** \$10-\$85

**Packaging Details:** In bundles

**Delivery Time:** 7-15 days

**Payment Terms:** TT/LC

**Supply Ability:** 1000tons per month

**Surface Treatment:** Galvanised

**Thickness:** 3.2mm

**Yield Strength:** 245N/mm<sup>2</sup>

**Standard:** EN39

**Application:** Scaffolding


Our **galvanised scaffold tubes** are designed for high-performance and durability. Manufactured by Bythai Scaffolding, these tubes are ideal for a variety of scaffolding applications. The **scaffold aluminum tube** model BT01 is crafted with precision, adhering to the EN39 standard, and ensures a yield strength of 245N/mm<sup>2</sup>. With a **galvanized pipe** surface treatment, our tubes offer superior resistance to corrosion, making them a reliable choice for your scaffolding needs.







**Bythai Scaffolding Co.,Ltd**

 17300780862

 [info@bythaiscaffolding.com](mailto:info@bythaiscaffolding.com)

 [bythaiscaffold.com](http://bythaiscaffold.com)

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China